AG-CRETE INDUSTRIES

Portable Retaining Walls Precast to Last!

GRAIN BUNKER WALLS

Durable: Precast walls are long-lasting and will remain a saleable asset.

Strong: Made with reinforced 40mpa vibrated concrete.

Portable: Cast-in lifting pins enable ease of unloading & positioning.

Weatherproof: Covers and ground liners available to suit any size layout.

No inside leg means forming ends/corners is simple, with no gaps.

Rounded top edges and overhung lip keeps tarp covers secure & tight.



BUNKER WALLS

Item	Dimensions (mm) Length x Width x Height	Weight (Kg)	Price*
Bunker Wall	3000 x 550 x 1000	1170	
Clamp Set (2-3/wall)	1 x Galv F-clamp, bolt, washers, wing nut	2.65	
RHS Rail c/w plugs	50x50x2950mm (2mm BMT Galv)	8.78	




We can help determine your ideal bunker size:

What storage capacity is required?.....(tonnes)

Your auger lift height:

Grain types to be stored:



* Prices include GST. Freight & on-site handling may be additional.



FREE-STANDING HEAVY DUTY RETAINING WALLS



Portable: Forklift pockets or lifting anchors allow for quick instalment and re-positioning.

Stable: Divider walls up to 3.0m high do not need to be bolted down when retaining material which has a density of less than 1 tonne / m³. This includes grain, solid fuels, recycling materials, woodchips etc.

Silage: A heavier wall is available, without fork pockets and requires bolting to a reinforced slab.

Loading: Each unit is load bearing in 2 directions.

Corner units available, allowing bays to be formed.

DIVIDER WALLS

Product Code	Dimensions (mm) Height x Length x Width	Weight (Kg)	Price*
DW2400	2400 x 1200 x 1200	1900	
DW2400HD	2400 x 1200 x 1350	2850	
DW3000	3000 x 1200 x 1200	2300	
DW3000HD	3000 x 1200 x 1350	3200	


Supplied with lifting pins: (Not fork pockets)

DW4000	4000 x 1200 x 1350 #	3350
DW6000	6000 x 2000 x 3000 #	11500

SMALL BARRIERS

DW0900 900 x 6000 x 300 # 1760

These walls should be fastened to a floor slab or footing



Shape allows free flow of product off the base 🗲

- **✓ ENGINEERED**
- ✓ No Footings Required
- ✓ Repurpose existing sheds
- ✓ Ideal for bulk storage of:
 - ➤ Grain
 - ➤ Feed
 - ➤ Fertiliser
 - ➤ Aggregate
 - Solid fuel

What's inside counts: Heavy duty reinforcing



^{*} Prices include GST. Freight & on-site handling may be additional.

FREE-STANDING L-BLOCK RETAINING WALLS



Engineered design. Heavily reinforced 40mpa vibrated concrete. **No footings required:** Quickest retaining wall system available.

Portable: Cast-in lifting pins enable easy moving & positioning.

Corner units available with angled base. External corners formed easily due to no inside leg.

Customisation: Walls can be tapered at varying heights to suit your project.

What's inside counts: Heavy duty reinforcing

L-BLOCK RETAINING WALLS

Product Code	Dimensions (mm) Height x Length x Width	Weight (Kg)	Price*		
For light duty applications:					
LB3000LD	3000 x 2400 x 1000	2870			
LB4000LD	4000 x 2400 x 2000	6000			
Engineered for heavy compacted fill:					
LB1000	1000 x 2400 x 800	1500			
LB1200	1200 x 2400 x 1000	1800			
LB1500	1500 x 2400 x 1000	2020			
LB1800	1800 x 2400 x 1000	2200			
LB2000	2000 x 2400 x 1000	2350			
LB3000	3000 x 2400 x 1750	5030			
LB4000HD	4000 x 2400 x 2200	6220			
Loading Ramp Kit & Extras:					
RAMP1200	1200 x 3000 x 4800	6000			
LBCON	Flat +2xM20 Bolts	4.8			
LBCON-C	Internal Corner Bracket	5.8			
LBCON-CEXT	External Corner Bracket	12.2			









- ✓ No Footings Required
- ✓ Ideal for bulk storage of:
 - **➤** Grain
 - ➤ Silage & Feed
 - ➤ Fertiliser
 - ➤ Aggregate
 - > Solid fuel
- ✓ Repurpose existing sheds
- ✓ Integrate in new buildings





* Prices include GST. Freight & on-site handling may be additional.

Jan-2024

AG-CRETE INDUSTRIES

T (03) 5450 4400 E sales@agcrete.com.au

F (03) 5450 3119 2 Mibus St, Kerang Vic 3579 Available From: